

CONTENTS

2..... Sign Systems

4..... Fonts / Pictograms / Sign Options

5..... Mounting Options

6..... Graphic Options

7..... Material Options

8..... ADA / Sign Checklist

10..... ADA Guidelines

12..... ADA / Sign Specifications

16..... Important Information / Terms

17..... Color Chart

SIGN SYSTEMS

Select from one of our Standard Sign Systems with your choice of colors and graphics. We can also custom fabricate and design just about anything you can imagine.

SERIES 100 PANEL SIGN SYSTEM

Our Standard Panel Sign system is where it all starts. It's our most economical line when used as a simple basic system, but can easily be customized for a personal look.



- 1/8" Acrylic
- Mar and Impact Resistant
- Standard Colors
- ADA or Subsurface Graphics

OPTIONS

- Custom Sizes and Shapes
- Custom Logos and Graphics
- Metal and Plastic Frames
- Double Sided Signs

SERIES 200 CURVED FRAME SYSTEM

The body of these frames curve out slightly to form a sleek contemporary look. Panels are easily interchangeable, but are securely held in place by the unique side rail system.




- Aluminum Curved Frame
- Black End Caps
- 1/16" Sign Insert
- Satin Silver, Gold or Black

- Anodized Colors Available
- Custom Sizes
- Custom Logos and Graphics
- Clear Lens for Paper Inserts
- Double Sided Signs

SERIES 300 DECORATIVE BAR

Decorative Bars add a bold metallic element to your signs. Bars can be added to any number of sides to create a one of a kind look.



- 1/8" to 1/4" Thick Metal Bar
- 1/8" Sign Panel
- Satin Silver, Gold or Black

- Multiple Bars
- Clear Lens for Paper Inserts
- 1" 1.5" 2" Bars Available
- Mix Different Size Bar Frames

SERIES 400 METAL FACE SYSTEM

Our elegant metal series gives you an up scale look of real metal. Each anodized aluminum sign features a rich deep satin finish with matching Braille.



- 1/8" Total Thickness
- Plastic Core
- Satin Silver, Gold or Bronze
- Matching Braille

- Custom Sizes and Shapes
- Custom Logos and Graphics
- Metal Frames and Brackets
- Double Sided Signs

SIGN SYSTEMS

Select from one of our Standard Sign Systems with your choice of colors and graphics. We can also custom fabricate and design just about anything you can imagine.

SERIES 500 LAYERED SYSTEM

Our unique layered system offers endless possibilities. Two panels are stacked together to create a bold border effect. Backer panels can be virtually any material available.



- 1/8" Acrylic Backer
- 1/8" Face Panel
- 1/2" Wide Border
- ADA or Subsurface Graphics

OPTIONS

- Custom Sizes and Shapes
- Metal, Laminate, Backer or Acrylic
- Offset Backing Panels

SERIES 600 FULL COLOR

1/8" Thick Bars add a distinctive look to any of our sign systems. You can add bars either horizontally or vertically. Available in any of our standard colors or in a satin aluminum metal.



- 1/8" Sign Face
- Subsurface Color Image

- Custom Sizes and Shapes
- Custom Logos and Graphics
- Backers
- Window Slots

SERIES 700 CLEAR EDGE

Our Clear Edge System gives you the elegant look of a clear acrylic backer with a polished edge. Signs can be mounted directly to the wall or with our standoff mounting system.



- 1/4" Clear Acrylic
- Polished Edges
- 1/2" Margin around sign
- 1/16" Sign Panel

- Custom Sizes and Shapes
- 1/2" Material with Polished Edge
- Green Edge Acrylic
- Standoff Mounting Brackets

SERIES 800 WINDOW SLOT



- 1/16" Sign Face
- 1/8" Acrylic Backer
- ADA or Subsurface Graphics

- Custom Sizes and Shapes

STANDARD FONTS / PICTOGRAMS

Other fonts and symbols are available.



EUROSTILE ■ 012347

FRUTIGER 55 ■ 012347

FUTURA MD COND ■ 0189765

GILL SANS ■ 0189765

HELVETICA ■ 0189765

OPTIMA SEMI ■ 012347

MYRAID MEDIUM ■ 0189765

TREBUCHET ■ 0189765

ALIGNMENT



Upper Left



Center Left



Center



Upper Right

EDGES



Square Edge



Bevel Edge

CORNERS



Square Corner




1/4" Radius

MOUNTING OPTIONS


Always test the appropriate mounting method before actual installation.

We recommend using a good silicone adhesive in conjunction with most mounting methods.




DOUBLE FACED TAPE - WHITE

1/16" Pressure Sensitive Tape.
Good in conjunction with silicone adhesive.




DOUBLE FACED TAPE - BLACK

1/32" Black Foam tape. A high performance tape that is removable.




SCREW HOLES

3/16" Screw holes with optional 1-1/4" #8 vandal resistant button head torx screws.




DOUBLE FACED TAPE - RED

Thin High Bond tape for permanent mounting on smooth flat surfaces.




COUNTERSUNK SCREW HOLES

3/16" Screw holes with optional 1-1/4" #8 vandal resistant countersunk torx screws.




WALL / CEILING BRACKET - #72

Available in Black or Satin Silver in 6", 9", 12". Custom lengths available. Accommodates 1/8" material.




MAGNETIC TAPE

1/32" tape for steel surfaces. Sign not to exceed three lbs. (18 x 18")




COUNTER / FREESTANDING - #73

Available in Black or Satin Silver in 8", 10", 12". Accommodates 1/8" material. Sign should be no taller than 12" in height.




VELCRO HOOK

For fabric surfaces such as Office Partitions. Always test compatibility with fabric first.




DESK / COUNTER BASE

Available in Black or Satin Silver in 8", 10", 12". Accommodates 1/8" material. Sign should be no taller than 4.5" in height.



STANDOFFS

1/2", 5/8", 3/4", 1" Diameter
.75" Barrel Length Standard
Material thickness up to 3/8"
202 Stainless Steel Satin Finish



PARTITION HOOK - P 110


3.5" Clear Plastic Hanger.
Good for a partition width of 1.75 - 2.25"
Custom Sizes and Lengths available.

GRAPHIC OPTIONS

Signs that identify a room or space must have Raised Letters and Braille.


Other signs, such as directories and informational signs, can be subsurface.

FRONT SURFACE




ADA / BRAILLE

Precision Cut Raised Letters are bonded under pressure to the sign surface with 3M 467 adhesive. Raster Braille is embedded into the sign panel.




ADA INLAY / BRAILLE

Letters are bonded into a recessed pocket making the sign extremely vandal-resistant. Raster Braille is embedded into the sign panel.




FRONT ENGRAVED

Letters and Graphics are routed out from the front side of a special 2-ply material revealing a contrast color below (Interior Only.)




VINYL GRAPHICS

High Performance, pressure sensitive vinyl is cut to exact specifications and then applied to the front side of an acrylic or aluminum panel.



DIGITAL PRINT


A full color, high resolution image is printed directly on the sign panel. UV curable inks are durable outdoors.



SCREEN PRINT


Screen Printing is ideal for larger quantities of the same image. Ink is forced thru a screen making a permanent image on the sign surface.

SUBSURFACE




VINYL GRAPHICS - SUBSURFACE

High Performance, pressure sensitive vinyl is applied to the back side of a clear piece of non-glare acrylic then backsprayed a contrasting color.




REVERSED ENGRAVED

Graphics and Letters are routed out from the backside of a special 2-ply non-glare material. The letters are then backsprayed a contrasting color.



SCREEN PRINTING

Screen Printing is ideal for larger quantities of the same image. Ink is forced thru a screen making a permanent image on clear acrylic that is then backsprayed.



DIGITAL PRINTING

A Full Color, high resolution image is printed directly on the back side of clear acrylic. UV curable inks are durable outdoors.

MATERIAL OPTIONS

Below are the many materials we routinely work with. All standard materials are suitable for exterior use. Other materials are available. See special note below.

STANDARD MATERIALS

BACKSPRAYED NON-GLARE ACRYLIC

A non-glare material that is great for many sign and display applications. Color is added to the sign by backspraying the material. Suitable for both interior and exterior use. Standard thickness is 1/8" but others thicknesses are available.

RAISED TEXT

A solid colored modified acrylic with a matte finish. Designed for ADA signage. High Impact and UV Stable. 27 Standard Colors Available.

DIBOND ALUMINUM

Dibond is an aluminum composite material made of two aluminum sheets with a solid polyethylene core. The 1/8" material is sturdy, rigid and weatherable yet lightweight. 1/4" is also available.

PHOTOLUMINESCENT MATERIAL

A Modified Acrylic with photoluminescent properties. Engineered to exceed standards set by many states, including New York City Local Law 26. Ideal for egress and exit signs.

CUSTOM MATERIAL

WILSONART - FORMICA LAMINATES

A traditional countertop material, melamine based laminates are used extensively in the sign industry to add color, texture and various finish appearances. Interior Use Only.

CHEMETAL *

Chemetal is a line of decorative metallic laminates in a wild variety of textures, finishes and designs. Used on higher end projects due to cost. Interior Use Only.

CORIAN - SOLID SURFACE MATERIAL

Corian and other solid surface material are great for many high end projects. The acrylic polymer material comes in many finishes that resemble real granite or stone. Interior Use Only.

GREEN EDGE ACRYLIC *

Green Edge Acrylic has the look of real glass, but performs like acrylic. It's easy to fabricate and is many times stronger than glass. Great for a backer material. Available in 1/8" 1/4" 1/2"

* Chemetal, some laminates and Green Edge Acrylic do not have non-glare properties and might not meet ADA finish guidelines. It's recommended that these materials be used as backer pieces or other element of the sign other than the ADA / Braille portion.

COMMON FACILITY SIGNS

Cornerstone sign has developed this checklist to help you comply with Federal ADA, Code and other sign requirements. Signs marked with an asterisk * are either ADA or California State Code signage. Make certain to check with your local and state laws for different or additional requirements. Typical sign sizes are in parentheses ().

PARKING LOT

- A** Parking Stall (18 x 12") *
- B** Van Accessible(6 x 12") *



MAIN ENTRANCE



- A** Metal Building Address*
- B** No Smoking (8 x 8") *

A 7028



LOBBY AREA

- A** Main Directory
- B** Maximum Occupancy (6 x 11") *



ROOM - SPACES

- A** Utility Rooms (3 x 9") *
- B** Suite Numbers (4 x 6") *
- C** Window Signs (6 x 9") *
- D** Conference Room (8 x 8") *
- E** Room Identification (6 x 9") *
- F** Overhead / Department
- G** Accessible Restroom (7 x 14") *
- H** Restroom Sign - ADA (8 x 8") *
- I** Restroom Door - Calif. (12") *



CODE

A In Case of Fire (9 x 9") *

B Fire Extinguisher (11 x 7") *

A



B



EXIT - STAIRS

A Stairwell / Roof Access (12 x 12) *

B Evacuation Exit Plans (11 x 11") *

C Not an Accessible Exit (4.5 x 11") *

D Stairwell Level ID - ADA (7 x 7) *


E Exit (3 x 5") *

F Emergency Exit Only (6 x 24") *

A



B



C




D



E



F



INFORMATIONAL

A Warning / Danger Signs

B Directional Signs

C Hours of Operations


D Security Signs

E Equipment ID / Info


A



B



C



D

Please Have
All Baggage and
Personal Belongings
Ready For
Inspection

E

EEW BREAKER
AC-17

AIRPORT SECURITY

ADA GUIDELINES

The basic rules and regulations that follow are based on Federal ADA and California State laws.

Make sure to check your particular State and local codes for different or additional requirements.

Signs of Our Times, Inc. makes every effort to provide accurate, reliable information

regarding ADA regulations, however, we cannot be held responsible for any errors or omissions.

GENERAL RULES




- Signs designating a Public Accessible Room or Space must have Raised Characters and Grade 2 Braille. (A Room Number with Braille as a minimum.)
- Signs must have a matte or non-glare finish.
- Characters and symbols shall have a high contrast with their background. Light characters on a dark background or visa versa.
- Directional and Information type signs are not required to have raised characters or Braille.



- Background and Letter colors must have a high contrast
- Non Glare or Matte Finish
- 6" high field for pictogram. The pictogram itself can be smaller.
- ISA Symbol required only if wheelchair accessible
- 1/32" Raised Characters between 5/8 and 2" - San Serif Font
- 3/8" Margin around Braille = Minimum 1" space below text for Braille



CHARACTERS / PICTOGRAMS

- Characters to be between 5/8 and 2" in height. Characters to be raised a minimum of 1/32".
- Characters to be uppercase and a san serif type of font.
- Characters shall not be italic, oblique, script or highly decorative.
- Character width shall be between 55 - 110% of character height. (60 - 100% in California)
- Character stroke thickness shall be between 10 - 15% of character height. (10 - 20% in California)
- Pictograms shall have a field height of 6" minimum. No other element should be in pictogram field.
- There are no specific rules on actual height of the pictogram, however 4 - 4.5" is typical.
- Pictograms do not have to be raised.
- The ISA entrance symbol is required to be white on blue background.
- California restroom signs must be 1/4" thick and measure 12". Sign color shall contrast with door color.




BRaille RULES

- Braille shall be Grade 2 with proper size and spacing. →
- Braille shall be located below corresponding text.
- Braille shall be below last line of text in multi-lined signs.
- Braille shall be lowercase with the exception of proper names and letters that are part of a room number.
- Braille must have a minimum 3/8" margin from any other sign element including raised characters, borders or edge of the sign.
- Braille shall be domed shape (Raster Braille) or rounded. Flat topped, pointy or Braille blobbed together are not acceptable.



MOUNTING

- Overhead Signs: 80" minimum to bottom of sign
- Tactile Braille Signs shall be mounted on latch side of the door
- Tactile Braille Signs 60" to center of sign




ADA COMPARISON CHART

This chart compares the various methods of producing ADA Signage.

| Sign Methods | Domed Shape Braille | Braille Correct Size and Spacing | Integral Subsurface Colors | UV Outdoor Stable | Choice of Materials | Integral Window Slots | Optional Subsurface Graphics | Stable in High Humidity |
|------------------------|---------------------|----------------------------------|----------------------------|-------------------|---------------------|-----------------------|------------------------------|-------------------------|
| Acrylic/ Raster | YES | YES | YES | YES | YES | YES | YES | YES |
| Embossed | YES | ? | YES | ? | NO | ? | YES | ? |
| Photopolymer | ? | ? | NO | ? | NO | NO | NO | NO |
| Sandblasted | ? | NO | NO | ? | YES | NO | NO | YES |
| Etched Metal | ? | ? | NO | YES | YES | NO | NO | YES |
| Molded Signs | ? | ? | ? | ? | NO | ? | NO | YES |
| Die Raised Alum. | ? | No | No | ? | NO | NO | NO | YES |

ADA / BRAILLE




- 1/8" Acrylic
Mar Resistant
Non-Glare Finish
- 1/32" Precision Cut
Raised Letters and Graphics
pressure bonded to the surface
with 3M Adhesive
- Clear, dome-shaped,
Raster Braille is
embedded into the surface



- Subsurface colors are an integral part of the material and can not be scratched or removed.
- UV Stable. Suitable for exterior application. Avoid direct exposure to extreme sun or weather conditions.
- 45 Standard Color Combinations. Custom background colors available

ADA EMBED / BRAILLE

Minimum 3/4" Letters




- 1/8" Acrylic
Mar Resistant
Non-Glare Finish
- 1/16" Precision Cut
Raised Letters and graphics
Pressure bonded into
a recessed pocket
- Clear, dome-shaped,
Raster Braille is
embedded into the surface




- Subsurface colors are an integral part of the material and can not be scratched or removed.
- UV Stable. Suitable for exterior application. Avoid direct exposure to extreme sun or weather conditions.
- 28 Standard Colors. Custom background colors available.

SUBSURFACE



WINDOW SIGNS


Specify Paper Insert Size



OVERHEAD SIGNS


Specify Single or Double Sided

TRADITIONAL



STANDARD SIZES

Other Sizes Available



9 x 9




9 x 36




11 x 11



10 x 48



12 x 48



200 THE INTEGRATED BENEFITS INSTITUTE

All Upper Case


200 The Integrated Benefits Institute

Upper / Lower Case

Multi-Columns

| FIRST FLOOR | SECOND FLOOR | THIRD FLOOR |
|-------------|--------------|-------------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Changeable Mounting Options



STANDARD SIZES

Other Sizes and Shapes Available

| | | |
|--------------------|-------------------------|-----|
| 14" | | |
| FIRST FLOOR | | |
| 1.75" | Admissions & Records | 200 |
| | Assessment Center | 210 |
| | Book and Student Store | 230 |
| | Financial Aid | 265 |
| | Community Education | 268 |
| | Accessibility Resources | 274 |
| | Student Services | 276 |
| | Veterans Affairs | 280 |

Any Height

Add as many panels as needed

| | | |
|---------------------------|------------------------------|----|
| 17" | | |
| School of Business | | |
| | → Business Administration | 2" |
| | → Marketing & Research | |
| | → Accounting Principles | |
| | → Ethics and Retention | |
| | ← Human Resources | |
| | ← Dean of School of Business | |
| | → Ethics and Retention | |
| | ← Human Resources | |
| | ← Dean of School of Business | |

| | | |
|---------------------------|---|-----|
| 20" | | |
| BUILDING DIRECTORY | | |
| | The Integrated Benefits Institute, Inc. | 200 |

1.75"

It is recommended that you have several blank panels at the bottom for future use.

IMPORTANT INFORMATION

Terms and Conditions

Pricing Policy Cornerstone Sign & Decal strives to build long term relationships with our customers by providing the best price, quality and service anywhere. Call us for your next project and we believe you will find our combination of price, quality and service is superior.

Term / Payments (Deposits) We accept VISA, Master Card, Discover and Prepaid Company Checks No COD's All orders over \$1,000.00 will require a 50% deposit. Balance is due at time of shipment. Cancellation or changes to orders must be in writing. Client will be responsible for additional charges due to changes to order. Client will be charged for any labor and/or material cost incurred prior to cancellation of order.

Ordering (Minimum Order) To help eliminate mistakes, we request that all orders be placed with a purchase order. Please provide the size, color, sign schedule, font and a drawing of each sign type is also helpful. Please identify repeat orders with a previous sales order #. Prior orders are retained on file for five years. You will receive an order confirmation of your order via fax or E-mail. Carefully check your order confirmation for accuracy and completeness. There is a minimum order of \$20.00. Some items might have a higher minimum.

Shipments Standard packages are shipped ground service via United Parcel Service. Third Day, Second Day and Overnight Shipments are also available at an additional charge. Shipments are F.O.B. Louisville, KY. All orders are double checked for accuracy and completeness by two different people. However, if you discover any errors or damage to your signs please let us know immediately. All signs manufactured by Cornerstone Sign & Decal are custom to your specifications, and therefore cannot be returned or exchanged.

Artwork (Samples) We request when you submit your order that you provide a drawing of each sign type. For a nominal fee, Cornerstone Sign & Decal can create drawings for you. Custom artwork such as Logos must be provided by the client in its original format such as an .eps/ .ai or .cdr file. Custom samples (made to order) are charged at full prices. "Off the shelf" samples are free of charge (shipping cost may apply).

Manufacturing Processes (Color Matching) All signs manufactured by Cornerstone Sign & Decal are done so by our own standard processes, materials and procedures. It is the client's responsibility to decide if our products are equal to any specifications being called out. We make every effort to achieve exact color matches to your specifications or samples, however, we cannot always guarantee a perfect match due to factors beyond our control (different materials, etc.) Also, every effort is made to match existing signs made by other sign manufacturers, however, we cannot always guarantee a perfect match.

Disclaimer Information contained in this catalog, as well as our web site, is subject to change. Cornerstone Sign & Decal makes every attempt to provide accurate and updated information regarding ADA and other code requirements, however, we cannot be held liable for any misinformation or inaccuracies. It is the client's responsibility to determine if signs meet specs for their project and are compliant with Federal, State and local laws. Please familiarize yourself with your particular State and local codes that may pertain to your project. Pricing, Products and Terms & Conditions are subject to change at any time without notice.








STANDARD ACRYLIC ADA SIGN COLORS

Letter color, and background color choices









cornerstonesign.com
1.888.551.0560

Custom background colors are also available. Colors are close PMS equivalents but not exact. Actual colors may vary from computer monitors or printed colors.

| | | | | | | |
|--|---|---|---|--|---|---|
|  |  |  |  |  |  |  |
| RED PMS 187 MP10224 | Burgundy PMS 1817 MP16105 | Canyon PMS 7524 MPO8843 | Yellow PMS 115 MP10211 | Bright Green PMS 347 MP13552 | Pine Green PMS 343 MP10503 | Black Forest Green PMS 417 MP14164 |

| | | | | | | |
|--|---|---|---|--|---|---|
|  |  |  |  |  |  |  |
| Bahama Blue PMS 3155 MP14689 | Cinder PMS 405 MP11852 | Blue PMS 294 MP03547 | Air Force Blue PMS 282 MO05080 | Marine Blue PMS 296 MP04979 | China Blue PMS 431 MP02656 | Antique Ivory PMS 7506 MP01451 |

| | | | | | | |
|--|---|---|---|--|---|---|
|  |  |  |  |  |  |  |
| Sand PMS 482 MP03241 | Sandalwood PMS 4755 MP5234 | Ash PMS 7500 MP06966 | Dark Brown PMS BLACK 5C MP13335 | White PMS?? MP04856 | Bright White PMS ?? MP02972 | Light Grey PMS WARM 2C MP02650 |

| | | | | | |
|--|---|---|---|--|---|
|  |  |  |  |  |  |
| Pearl Grey PMS 428 MP00543 | Grey PMS COOL 8 MP10158 | Charcoal Grey PMS BLACK 7C MP02250 | Taupe PMS 410 MP06031 | Driftwood PMS 404 MP05732 | Black MP Brushed Alum. (very small metal flake) |